

SCOPE Complex, Lodhi Road New Delhi-110003

CIN: L51909DL1963GO1004033

Corrigendum # 1 to Tender No. MMTC/STEEL /TENDER/17-18/HCC-11 Dated: 18.08.2017

• The bids are also invited for supply of 2-5 rakes of Grade-III along with 2-5 rakes of Grade I Hard Coking Coal. The technical specifications for Grade III are as follows:

SL. NO.	TECHNICAL. PARTICULARS	GRADE -III	
		DESIRED	ABSOLUTE
1	a) Size	0 to 50 mm	
	b) Fraction below 0.5 mm	25% max.	35% max.
2	Total Moisture (on as received basis)	10% max.	12% max.
3	Proximate Analysis (on air dried basis) (BS 1016 - 1973 Part 3)		
	a) Volatile Matter	24 to 32%	35% max.
	b) Ash	8.9% max.	10.5% max.

	c) Inherent Moisture	1.5% max.	2% max.
	d) Fixed Carbon	By Difference	
4	a) Phosphorus (BS 1016 - 1973)	0.08% max.	
	b) Sulphur (BS 1016 - 1973)	0.6% max.	1% max.
5	Crucible Swelling Number (CSN)	3 min	
6	a) Mean Max Reflectance (ISO 7404)	0.85 to1.15	0.85 min
	b) Vitrinite Percentage (ISO 7404)	45 min	45 min
	c) Vitrinite distribution V9 to V14 (ISO 7404)		
	d) Gieseler Plastometer Test (ASTM D-2639) Maximum Fluidity (ddpm)	200 min	

- The Bidder may bid for one or more grades of coal and should submit Rs.
 20 lakhs towards EMD for each Grade offered, in the form of Demand Draft/Banker's Cheque favouring MMTC Limited payable at New Delhi or through RTGS as per Bank details given in the tender document.
- All other terms and conditions of the Tender shall remain the same.